



DELIVERY PROGRAM SB-RAILING



CATALOGUE
APRIL 2017
WWW.SB-RAILING.CO.UK
ENGLISH

Kensington

The system you can trust
Proven by calculations

Official partner





SB-Railing, total supplier of railing components and balustrade systems

In the extended range of SB-Railing you will find everything you need for the finest fencing, wall railings and bannisters. Choose from items with round or square shapes, for use indoors or outdoors, with a polished K320 or mirror surface. The products are developed in-house and must meet stringent quality controls.

The company

SB-Railing is a product line of IMS Nederland B.V., an all-round supplier and distributor of steel, stainless steel and aluminum. The company is ISO9001: 2008 certified and has enjoyed a renowned name in the steel industry ever since 1954. Since 2015, the company is part of IMS Group, a European network of special steel distributors of quality steel, bright steel, tool steel, stainless steel and aluminum. The group is represented with 47 distribution centers in 10 European countries.

UNIQ smart balustrades

Recently introduced and already applied in several projects in the Netherlands and abroad: UNIQ, the smartest profile for glass balustrades.

The patented clamping strip without wedges and rubbers, the adjustability on rough surfaces, the hollow design and the quick and easy assembly are all unique and smart characteristics that save time and money.





















For more information and the brochure please visit www.uniq-balustrades.com



IMS
Nederland




INDEX

		Pages			Pages
	Tube connector	4		Slotted tube system	45
	Stand-off brackets	9		Square system	50
	Handrail support	10		Wood system	55
	Handrail support	14		Modular handrail support	57
	End cap	22		Wire system	61
	End cap QuickFix	24		Tubes & bars	66
	Baluster post	26		LED system	69
	Flange /adaptor	32		Glue and cleaner	78
	Sheet adaptor	36		Glass clips	80
	Crosbarholders	38		UNIQ	90

- L** Glue
- H** Hammer
- S** Screw
- W** Welding

Tube connector




304 Indoor satin		Ø
0201.160.304	2	16,0x1,0
0201.337.304	2	33,7x2,0
0201.420.304	2	42,4x2,0
0201.426.304	2	42,4x2,6
0201.480.304	2	48,3x2,0
0201.486.304	2	48,3x2,6

316 Outdoor satin		Ø
0201.160.316	2	16,0x1,0
0201.337.316	2	33,7x2,0
0201.420.316	2	42,4x2,0
0201.426.316	2	42,4x2,6
0201.480.316	2	48,3x2,0
0201.486.316	2	48,3x2,6

316 Outdoor mirror		Ø
0201.420.316#	2	42,4x2,0
0201.486.316#	2	48,3x2,6

Tube connector 135°



304 Indoor satin		Ø	H
0202.420.304	2	42,4x2,0	30
0202.426.304	2	42,4x2,6	30
0202.480.304	2	48,3x2,0	35
0202.486.304	2	48,3x2,6	35


316 Outdoor satin		Ø	H
0202.420.316	2	42,4x2,0	30
0202.426.316	2	42,4x2,6	30
0202.480.316	2	48,3x2,0	35
0202.486.316	2	48,3x2,6	35

316 Outdoor mirror		Ø	H
0202.420.316#	2	42,4x2,0	30
0202.486.316#	2	48,3x2,6	35

Mirror products



Tube connector 90°




304 Indoor satin		Ø	H
0203.337.304	2	33,7x2,0	25
0203.420.304	2	42,4x2,0	30
0203.426.304	2	42,4x2,6	30
0203.480.304	2	48,3x2,0	35
0203.486.304	2	48,3x2,6	35
0203.603.304	2	60,3x2,0	40

316 Outdoor satin		Ø	H
0203.337.316	2	33,7x2,0	25
0203.420.316	2	42,4x2,0	30
0203.426.316	2	42,4x2,6	30
0203.480.316	2	48,3x2,0	35
0203.486.316	2	48,3x2,6	35
0203.603.316	2	60,3x2,0	40

316 Outdoor mirror		Ø	H
0203.420.316#	2	42,4x2,0	30
0203.486.316#	2	48,3x2,6	35

Tube connector T-90°



304 Indoor satin		Ø	H
0204.337.304	2	33,7x2,0	25
0204.420.304	2	42,4x2,0	30
0204.426.304	2	42,4x2,6	30
0204.480.304	2	48,3x2,0	35
0204.486.304	2	48,3x2,6	35


316 Outdoor satin		Ø	H
0204.337.316	2	33,7x2,0	25
0204.420.316	2	42,4x2,0	30
0204.426.316	2	42,4x2,6	30
0204.480.316	2	48,3x2,0	35
0204.486.316	2	48,3x2,6	35

316 Outdoor mirror		Ø	H
0204.420.316#	2	42,4x2,0	30
0204.486.316#	2	48,3x2,6	35

Glue instruction



Tube connector 90°




304 Indoor satin		Ø	H
0205.420.304	2	42,4x2,0	30
0205.426.304	2	42,4x2,6	30
0205.480.304	2	48,3x2,0	35
0205.486.304	2	48,3x2,6	35
0205.603.304	2	60,3x2,0	40

316 Outdoor satin		Ø	H
0205.420.316	2	42,4x2,0	30
0205.426.316	2	42,4x2,6	30
0205.480.316	2	48,3x2,0	35
0205.486.316	2	48,3x2,6	35
0205.603.316	2	60,3x2,0	40

316 Outdoor mirror		Ø	H
0205.420.316#	2	42,4x2,0	30
0205.486.316#	2	48,3x2,6	35


Tube connector 90°



304 Indoor satin		Ø	H
0207.337.304	2	33,7x2,0	25
0207.420.304	2	42,4x2,0	40
0207.426.304	2	42,4x2,6	40
0207.480.304	2	48,3x2,0	45
0207.486.304	2	48,3x2,6	45
0207.603.304	2	60,3x2,0	60

316 Outdoor satin		Ø	H
0207.337.316	2	33,7x2,0	25
0207.420.316	2	42,4x2,0	40
0207.426.316	2	42,4x2,6	40
0207.480.316	2	48,3x2,0	45
0207.486.316	2	48,3x2,6	45
0207.603.316	2	60,3x2,0	60


Tube connector T+



304 Indoor satin		Ø	H
0208.337.304	2	33,7x2,0	25
0208.420.304	2	42,4x2,0	30
0208.486.304	2	48,3x2,6	35

316 Outdoor satin		Ø	H
0208.337.316	2	33,7x2,0	25
0208.420.316	2	42,4x2,0	30
0208.486.316	2	48,3x2,6	35


Tube connector adjustable



304 Indoor satin		Ø	H
0209.420.304	2	42,4x2,0	40
0209.480.304	2	48,3x2,0	45

316 Outdoor satin		Ø	H
0209.420.316	2	42,4x2,0	40
0209.480.316	2	48,3x2,0	45

Tube connector T **L**




304 Indoor satin		Ø	H
0206.420.304	2	42,4x2,0	60
0206.426.304	2	42,4x2,6	60
0206.480.304	2	48,3x2,0	70
0206.486.304	2	48,3x2,6	70

316 Outdoor satin		Ø	H
0206.420.316	2	42,4x2,0	60
0206.426.316	2	42,4x2,6	60
0206.480.316	2	48,3x2,0	70
0206.486.316	2	48,3x2,6	70

316 Outdoor mirror		Ø	H
0206.420.316#	2	42,4x2,0	60
0206.486.316#	2	48,3x2,6	70

Tube connector adjustable **L**




304 Indoor satin		Ø	H
0221.337.304	2	33,7x2,0	22
0221.420.304	2	42,4x2,0	27
0221.426.304	2	42,4x2,6	27
0221.480.304	2	48,3x2,0	30
0221.486.304	2	48,3x2,6	30

316 Outdoor satin		Ø	H
0221.337.316	2	33,7x2,0	22
0221.420.316	2	42,4x2,0	27
0221.426.316	2	42,4x2,6	27
0221.480.316	2	48,3x2,0	30
0221.486.316	2	48,3x2,6	30

316 Outdoor mirror		Ø	H
0221.420.316#	2	42,4x2,0	27
0221.486.316#	2	48,3x2,6	30


Tube connector Cross **L**



304 Indoor satin		Ø	H
0210.420.304	1	42,4x2,0	60
0210.426.304	1	42,4x2,6	60
0210.486.304	1	48,3x2,6	70

316 Outdoor satin		Ø	H
0210.420.316	1	42,4x2,0	60
0210.426.316	1	42,4x2,6	60
0210.486.316	1	48,3x2,6	70


Wall connector adjustable **L S**



304 Indoor satin		Ø	H
0231.420.304	2	42,4x2,0	27
0231.426.304	2	42,4x2,6	27
0231.486.304	2	48,3x2,6	27

316 Outdoor satin		Ø	H
0231.420.316	2	42,4x2,0	27
0231.426.316	2	42,4x2,6	27
0231.486.316	2	48,3x2,6	27


Tube connector adjustable **L**



304 Indoor satin		Ø	H
0222.160.304	6	16,0x1,0	11

316 Outdoor satin		Ø	H
0222.160.316	6	16,0x1,0	11


Bar connector adjustable **L**



304 Indoor satin		Ø	H
0223.100.304	6	10	35
0223.120.304	6	12	36
0223.140.304	6	14	37

316 Outdoor satin		Ø	H
0223.100.316	6	10	35
0223.120.316	6	12	36
0223.140.316	6	14	37

Elbow 90° **L**



304 Indoor satin		Ø
5514.337.304	1	33,7
5514.424.304	1	42,4
5514.483.304	1	48,3

SB-Cleaner spray

6740.05 150 ML

SB-Cleaner spray can be used to clean and degreases parts. This product should always be used before bonding parts and tubes together




SB-Glue 50g

6740.03 50 ML

This glue is the ideal adhesive for cylindrical joints. just a small quantity is sufficient to achieve solid bonding, as long as it is applied properly.




Stand - off bracket - connector **L S**



304 Indoor satin		Ø
0395.420.304	1	42,4x2,0
0395.426.304	1	42,4x2,6
0395.483.304	1	48,3x2,6




316 Outdoor satin		Ø
0395.420.304	1	42,4x2,0
0395.426.304	1	42,4x2,6
0395.483.304	1	48,3x2,6

Stand - off bracket - End **L S**




304 Indoor satin		Ø
0396.420.304	1	42,4x2,0
0396.426.304	1	42,4x2,6
0396.483.304	1	48,3x2,6

316 Outdoor satin		Ø
0396.420.316	1	42,4x2,0
0396.426.316	1	42,4x2,6
0396.483.316	1	48,3x2,6



Handrail support - Flat **L S**




304 Indoor satin  **D** **H**

0341.000.304	2	33,7x2,0	81
0342.000.304	2	42,4x2,0	81
0343.000.304	2	42,4x2,6	81
0345.000.304	2	48,3x2,6	82

316 Outdoor satin  **D** **H**

0341.000.316	2	33,7x2,0	81
0342.000.316	2	42,4x2,0	81
0343.000.316	2	42,4x2,6	81
0345.000.316	2	48,3x2,6	82

Handrail support - Tube **L S**



304 Indoor satin  **D** **Ø** **H**

0341.337.304	2	33,7x2,0	33,7	79
0341.420.304	2	33,7x2,0	42,4	79
0342.420.304	2	42,4x2,0	42,4	79
0342.480.304	2	42,4x2,0	48,3	79
0343.420.304	2	42,4x2,6	42,4	79
0343.480.304	2	42,4x2,6	48,3	79
0344.420.304	2	48,3x2,0	42,4	80
0344.480.304	2	48,3x2,0	48,3	80
0345.420.304	2	48,3x2,6	42,4	81
0345.480.304	2	48,3x2,6	48,3	81


316 Outdoor satin  **D** **Ø** **H**

0341.337.316	2	33,7x2,0	33,7	79
0341.420.316	2	33,7x2,0	42,4	79
0342.420.316	2	42,4x2,0	42,4	79
0342.480.316	2	42,4x2,0	48,3	79
0343.420.316	2	42,4x2,6	42,4	79
0343.480.316	2	42,4x2,6	48,3	79
0344.420.316	2	48,3x2,0	42,4	80
0344.480.316	2	48,3x2,0	48,3	80
0345.420.316	2	48,3x2,6	42,4	81
0345.480.316	2	48,3x2,6	48,3	81

316 Outdoor mirror  **D** **Ø** **H**

0342.420.316#	2	42,4x2,0	42,4	79
0342.480.316#	2	42,4x2,0	48,3	79
0345.420.316#	2	48,3x2,6	42,4	81
0345.480.316#	2	48,3x2,6	48,3	81

Handrail support - Tube **L S**



304 Indoor satin  **D** **Ø** **H**

0341.429.304	2	33,7x2,0	42,4	79
0342.429.304	2	42,4x2,0	42,4	79
0342.489.304	2	42,4x2,0	48,3	79
0343.429.304	2	42,4x2,6	42,4	79
0343.489.304	2	42,4x2,6	48,3	79
0345.429.304	2	48,3x2,6	42,4	81
0345.489.304	2	48,3x2,6	48,3	81


316 Outdoor satin  **D** **Ø** **H**

0341.429.316	2	33,7x2,0	42,4	79
0342.429.316	2	42,4x2,0	42,4	79
0342.489.316	2	42,4x2,0	48,3	79
0343.429.316	2	42,4x2,6	42,4	79
0343.489.316	2	42,4x2,6	48,3	79
0345.429.316	2	48,3x2,6	42,4	81
0345.489.316	2	48,3x2,6	48,3	81

316 Outdoor mirror  **D** **Ø** **H**

0342.429.316#	2	42,4x2,0	42,4	79
0342.489.316#	2	42,4x2,0	48,3	81


Handrail support - Tube 135° **L S**



304 Indoor satin		D	Ø	H
0342.425.304	2	42,4x2,0	42.4	79
0342.485.304	2	42,4x2,0	48.3	79
0343.425.304	2	42,4x2,6	42.4	79
0343.485.304	2	42,4x2,6	48.3	79
0345.425.304	2	48,3x2,6	42.4	81
0345.485.304	2	48,3x2,6	48.3	81

316 Outdoor satin		D	Ø	H
0342.425.316	2	42,4x2,0	42.4	79
0342.485.316	2	42,4x2,0	48.3	79
0343.425.316	2	42,4x2,6	42.4	79
0343.485.316	2	42,4x2,6	48.3	79
0345.425.316	2	48,3x2,6	42.4	81
0345.485.316	2	48,3x2,6	48.3	81


Handrail support adjustable - Flat **L S**



304 Indoor satin		D	H
0441.000.304	2	33,7x2,0	81
0442.000.304	2	42,4x2,0	81
0443.000.304	2	42,4x2,6	81
0445.000.304	2	48,3x2,6	82

316 Outdoor satin		D	H
0441.000.316	2	33,7x2,0	81
0442.000.316	2	42,4x2,0	81
0443.000.316	2	42,4x2,6	81
0445.000.316	2	48,3x2,6	82

Handrail support adjustable - Tube **L S**




304 Indoor satin		D	Ø	H
0441.337.304	2	33,7x2,0	33,7	79
0441.420.304	2	33,7x2,0	42.4	79
0442.420.304	2	42,4x2,0	42.4	79
0442.480.304	2	42,4x2,0	48.3	79
0443.420.304	2	42,4x2,6	42.4	79
0443.480.304	2	42,4x2,6	48.3	79
0444.420.304	2	48,3x2,0	42.4	80
0444.480.304	2	48,3x2,0	48,3	80
0445.420.304	2	48,3x2,6	42.4	80
0445.480.304	2	48,3x2,6	48,3	80

316 Outdoor satin		D	Ø	H
0441.337.316	2	33,7x2,0	33,7	79
0441.420.316	2	33,7x2,0	42.4	79
0442.420.316	2	42,4x2,0	42.4	79
0442.480.316	2	42,4x2,0	48.3	79
0443.420.316	2	42,4x2,6	42.4	79
0443.480.316	2	42,4x2,6	48.3	79
0444.420.316	2	48,3x2,0	42.4	80
0444.480.316	2	48,3x2,0	48,3	80
0445.420.316	2	48,3x2,6	42.4	80
0445.480.316	2	48,3x2,6	48,3	80

316 Outdoor mirror		D	Ø	H
0442.420.316#	2	42,4x2,0	42.4	79
0442.480.316#	2	42,4x2,0	48.3	79
0445.420.316#	2	48,3x2,6	42.4	80
0445.480.316#	2	48,3x2,6	48.3	80


Handrail support - Blunt **L W**



304 Indoor satin		D	H
0372.000.304	2	42,4x2.0	81
0373.000.304	2	42,4x2.6	81
0375.000.304	2	48,3x2.6	82

316 Outdoor satin		D	H
0372.000.316	2	42,4x2.0	81
0373.000.316	2	42,4x2.6	81
0375.000.316	2	48,3x2.6	82


Handrail support M8 - Tube 90° **S**



304 Indoor satin		Ø
0361.429.304	2	42,4
0361.489.304	2	48,3

316 Outdoor satin		Ø
0361.429.316	2	42,4
0361.489.316	2	48,3


Handrail support M8 - Tube135° **S**



304 Indoor satin		Ø
0361.425.304	2	42,4
0361.485.304	2	48,3

316 Outdoor satin		Ø
0361.425.316	2	42,4
0361.485.316	2	48,3


Handrail support M8 - Flat **S**



304 Indoor satin		
0361.000.304	2	

316 Outdoor satin		
0361.000.316	2	


Handrail support M8 - adjustable - Flat **S**



304 Indoor satin		
0461.000.304	2	

316 Outdoor satin		
0461.000.316	2	

Handrail support M8 - Tube **S**




304 Indoor satin		Ø
------------------	--	---

0361.420.304	2	42,4
0361.480.304	2	48,3

316 Outdoor satin		Ø
-------------------	--	---

0361.420.316	2	42,4
0361.480.316	2	48,3

Handrail support M8 adjustable - Tube **S**




304 Indoor satin		Ø
------------------	--	---

0461.420.304	2	42,4
0461.480.304	2	48,3
0461.603.304	2	60,3

316 Outdoor satin		Ø
-------------------	--	---

0461.420.316	2	42,4
0461.480.316	2	48,3

Handrail support - Flat **S**




304 Indoor satin		Ø
------------------	--	---

0391.000.304	2	
--------------	---	--

316 Outdoor satin		Ø
-------------------	--	---

0391.000.316	2	
--------------	---	--

Handrail support - Tube **S**




304 Indoor satin		Ø
------------------	--	---

0391.420.304	2	42,4
0391.480.304	2	48,3

316 Outdoor satin		Ø
-------------------	--	---

0391.420.316	2	42,4
0391.480.316	2	48,3

Handrail support - Tube 90° **S**




304 Indoor satin		Ø
------------------	--	---

0391.429.304	2	42,4
0391.489.304	2	48,3

316 Outdoor satin		Ø
-------------------	--	---

0391.429.316	2	42,4
0391.489.316	2	48,3

Handrail support - Tube 135° **S**




304 Indoor satin		Ø
------------------	--	---

0391.425.304	2	42,4
0391.485.304	2	48,3

316 Outdoor satin		Ø
-------------------	--	---

0391.425.316	2	42,4
0391.485.316	2	48,3

Handrail support - Flat **S**



304 Indoor satin




0321.000.304 2

316 Outdoor satin



0321.000.316 2

Handrail support - Tube **S**



304 Indoor satin



Product Code	Quantity	Ø
0321.420.304	2	42,4
0321.480.304	2	48,3

316 Outdoor satin




Product Code	Quantity	Ø
0321.420.316	2	42,4
0321.480.316	2	48,3

316 Outdoor mirror



Product Code	Quantity	Ø
0321.420.316#	2	42,4
0321.480.316#	2	48,3

Handrail support - Tube **S**



304 Indoor satin



Product Code	Quantity	Ø
0322.337.304	2	33,7
0322.420.304	2	42,4
0322.480.304	2	48,3

316 Outdoor satin




Product Code	Quantity	Ø
0322.337.316	2	33,7
0322.420.316	2	42,4
0322.480.316	2	48,3

316 Outdoor mirror



Product Code	Quantity	Ø
0322.420.316#	2	42,4
0322.480.316#	2	48,3



Handrail support - Flat **S**




304 Indoor satin		
0326.000.304	4	
316 Outdoor satin		
0326.000.316	4	

Handrail support - Tube **S**



304 Indoor satin			Ø
0326.420.304	4		42,4
0326.480.304	4		48,3
316 Outdoor satin			Ø
0326.420.316	4		42,4
0326.480.316	4		48,3

Handrail support - Tube - 85 mm **S**



304 Indoor satin			Ø
0327.420.304	2		42,4
0327.480.304	2		48,3
316 Outdoor satin			Ø
0327.420.316	2		42,4
0327.480.316	2		48,3

Handrail support - Tube - 85 mm **S**



304 Indoor satin			Ø
0328.420.304	2		42,4
0328.480.304	2		48,3
316 Outdoor satin			Ø
0328.420.316	2		42,4
0328.480.316	2		48,3

Handrail support adjustable - Flat **S**




304 Indoor satin		
0426.000.304	2	
316 Outdoor satin		
0426.000.316	2	

Handrail support adjustable - Tube **S**



304 Indoor satin			Ø
0426.424.304	2		42,4
0426.483.304	2		48,3
316 Outdoor satin			Ø
0426.424.316	2		42,4
0426.483.316	2		48,3

Handrail support - Blunt **S W**



304 Indoor
satin




0323.000.304 2

316 Outdoor
satin



0323.000.316 2

Handrail support - Blunt **S W**



304 Indoor
satin




0324.000.304 2

316 Outdoor
satin



0324.000.316 2

Handrail support - Blunt **S W**



304 Indoor
satin




0325.000.304 2

316 Outdoor
satin



0325.000.316 2

Handrail support - Flat **S**



304 Indoor
satin




0305.000.304 2

316 Outdoor
satin



0305.000.316 2

Handrail support adjustable - Flat **S**



304 Indoor
satin




0405.000.304 2

316 Outdoor
satin



0405.000.316 2

Handrail support - Tube **S**



304 Indoor
satin



Ø

0305.420.304 2 42,4

0305.480.304 2 48,3

316 Outdoor
satin



Ø

0305.420.316 2 42,4

0305.480.316 2 48,3

316 Outdoor
mirror




Ø

0305.420.316# 2 42,4

0305.480.316# 2 48,3

Handrail support adjustable - Tube **S**



304 Indoor
satin



Ø

0405.420.304 2 42,4

0405.480.304 2 48,3

316 Outdoor
satin



Ø

0405.420.316 2 42,4

0405.480.316 2 48,3

316 Outdoor
mirror




Ø

0405.420.316# 2 42,4

0405.480.316# 2 48,3




Handrail support - Flat - Flat **S**



304 Indoor satin	
0301.000.304	2

316 Outdoor satin	
0301.000.316	2


Handrail support - Tube - Flat **S**



304 Indoor satin		D
0302.000.304	2	42,4
0303.000.304	2	48,3

316 Outdoor satin		D
0302.000.316	2	42,4
0303.000.316	2	48,3


Handrail support - Flat - Tube **S**



304 Indoor satin		\emptyset
0301.420.304	2	42,4
0301.480.304	2	48,3

316 Outdoor satin		\emptyset
0301.420.316	2	42,4
0301.480.316	2	48,3

Handrail support - Tube - Tube **S**



304 Indoor satin		D	\emptyset
0302.420.304	2	42,4	42,4
0302.480.304	2	42,4	48,3
0303.420.304	2	48,3	42,4
0303.480.304	2	48,3	48,3

316 Outdoor satin		D	\emptyset
0302.420.316	2	42,4	42,4
0302.480.316	2	42,4	48,3
0303.420.316	2	48,3	42,4
0303.480.316	2	48,3	48,3

Handrail support **S**




304 Indoor satin		\emptyset
5361.000.304	1	vlak
5361.424.304	1	42,4
5361.483.304	1	48,3

316 Outdoor satin		\emptyset
5361.000.316	1	vlak
5361.424.316	1	42,4
5361.483.316	1	48,3

Handrail support - Flat - Flat

S



304 Indoor satin



0401.000.304 2


316 Outdoor satin



0401.000.316 2

Handrail support - Tube - Flat

S



304 Indoor satin



0402.000.304 2 **D** 42,4

0403.000.304 2 48,3

316 Outdoor satin




0402.000.316 2 **D** 42,4

0403.000.316 2 48,3

Handrail support adjustable - Flat - Tube

S



304 Indoor satin



0401.420.304 2 **Ø** 42.4

0401.480.304 2 48.3

316 Outdoor satin




0401.420.316 2 **Ø** 42.4

0401.480.316 2 48.3

Handrail support adjustable - Tube - Tube

S



304 Indoor satin



0402.420.304 2 **D** 42,4 **Ø** 42.4

0402.480.304 2 42,4 48.3

0403.420.304 2 48,3 42.4

0403.480.304 2 48,3 48.3

316 Outdoor satin



0402.420.316 2 **D** 42,4 **Ø** 42.4

0402.480.316 2 42,4 48.3

0403.420.316 2 48,3 42.4

0403.480.316 2 48,3 48.3

Handrail support adjustable

S



304 Indoor satin



0961.000.304 1 **Ø** vlak

0961.420.304 1 42,4

0961.483.304 1 48,3

316 Outdoor satin




0961.000.316 1 **Ø** vlak

0961.420.316 1 42,4

0961.483.316 1 48,3


Glass handrail support - Flat **S**



304 Indoor satin	
0306.000.304	2

316 Outdoor satin	
0306.000.316	2


Glass handrail support adjustable- Flat **S**



304 Indoor satin	
0406.000.304	2

316 Outdoor satin	
0406.000.316	2


Glass handrail support - Tube **S**



304 Indoor satin		Ø
0306.420.304	2	42,4
0306.480.304	2	48,3

316 Outdoor satin		Ø
0306.420.316	2	42,4
0306.480.316	2	48,3

Glass handrail support adjustable - Tube **S**



304 Indoor satin		Ø
0406.420.304	2	42,4
0406.480.304	2	48,3

316 Outdoor satin		Ø
0406.420.316	2	42,4
0406.480.316	2	48,3



www.sb-railing.com



this webshop is part of
IMS Nederland B.V.
Order your products online. Register to view *your prices including discounts*
Welcome at SB-Railing

EN



Account | Wishlist | [Log In](#)

Home | PRODUCTS | OFFERS | NEW PARTS | Search entire store here






Products | Projects | News

Categories


- Products +
- Offers
- New parts

Select a group group here

 <p>UNIQ-BALUSTRADES</p>	 <p>SB-ROUND SYSTEM</p>	 <p>SB-SQUARE SYSTEM</p>
---	---	---

End Ball

L



304 Indoor satin



		Ø	H
0101.100.304	2	10	ca. 18,7
0101.120.304	2	12	ca. 17,5


316 Outdoor satin



		Ø	H
0101.100.316	2	10	ca. 18,7
0101.120.316	2	12	ca. 17,5

End Ball - Threaded

S



304 Indoor satin



		G	Ø	H
0102.250.304	2	M8	25	ca. 23,5
0102.300.304	2	M8	30	ca. 28,5
0102.400.304	2	M8	40	ca. 38,5
0102.500.304	2	M8	50	ca. 48,5


316 Outdoor satin



		G	Ø	H
0102.250.316	2	M8	25	ca. 23,5
0102.300.316	2	M8	30	ca. 28,5
0102.400.316	2	M8	40	ca. 38,5
0102.500.316	2	M8	50	ca. 48,5

End scroll

L



304 Indoor satin



		Ø	H
0103.337.304	2	33,7x2,0	77
0103.420.304	2	42,4x2,0	81
0103.426.304	2	42,4x2,6	81
0103.480.304	2	48,3x2,0	84
0103.486.304	2	48,3x2,6	84


316 Outdoor satin



		Ø	H
0103.337.316	2	33,7x2,0	77
0103.420.316	2	42,4x2,0	81
0103.426.316	2	42,4x2,6	81
0103.480.316	2	48,3x2,0	84
0103.486.316	2	48,3x2,6	84

End scroll - 45°

L



304 Indoor satin





		Ø
0104.420.304	2	42,4x2,0
0104.426.304	2	42,4x2,6
0104.486.304	2	48,3x2,6

316 Outdoor satin



		Ø
0104.420.316	2	42,4x2,0
0104.426.316	2	42,4x2,6
0104.486.316	2	48,3x2,6

Endcap - Flat





304 Indoor satin		Ø
0110.420.304	2	42,4x2,0
0110.426.304	2	42,4x2,6
0110.480.304	2	48,3x2,0
0110.486.304	2	48,3x2,6

316 Outdoor satin		Ø
0110.420.316	2	42,4x2,0
0110.426.316	2	42,4x2,6
0110.480.316	2	48,3x2,0
0110.486.316	2	48,3x2,6

316 Outdoor mirror		Ø
0110.420.316#	2	42,4x2,0

Endcap - Arched



304 Indoor satin		Ø	H
0111.160.304	2	16,0x1,0	4
0111.337.304	2	33,7x2,0	9
0111.420.304	2	42,4x2,0	9
0111.426.304	2	42,4x2,6	9
0111.480.304	2	48,3x2,0	10
0111.486.304	2	48,3x2,6	10

316 Outdoor satin		Ø	H
0111.160.316	2	16,0x1,0	4
0111.337.316	2	33,7x2,0	9
0111.420.316	2	42,4x2,0	9
0111.426.316	2	42,4x2,6	9
0111.480.316	2	48,3x2,0	10
0111.486.316	2	48,3x2,6	10

316 Outdoor mirror		Ø	H
0111.420.316#	2	42,4x2,0	9
0111.486.316#	2	48,3x2,6	10

SB-Cleaner
6740.01

To finalize the project and during maintenance we advise you to use SB-cleaner 6740.01




SB-SuperCleaner
6740.02

If you encounter corrosion or defects caused by aggressive influences, use SB-supercleaner 6740.02



Endcap flat - QuickFix

H




304 Indoor satin		Ø
0121.337.304	2	33,7x2,0
0121.420.304	2	42,4x2,0
0121.426.304	2	42,4x2,6
0121.480.304	2	48,3x2,0
0121.486.304	2	48,3x2,6

316 Outdoor satin		Ø
0121.337.316	2	33,7x2,0
0121.420.316	2	42,4x2,0
0121.426.316	2	42,4x2,6
0121.480.316	2	48,3x2,0
0121.486.316	2	48,3x2,6

Endcap - Arched - QuickFix

H




304 Indoor satin		Ø
0122.337.304	2	33,7x2,0
0122.420.304	2	42,4x2,0
0122.426.304	2	42,4x2,6
0122.480.304	2	48,3x2,0
0122.486.304	2	48,3x2,6

316 Outdoor satin		Ø
0122.337.316	2	33,7x2,0
0122.420.316	2	42,4x2,0
0122.426.316	2	42,4x2,6
0122.480.316	2	48,3x2,0
0122.486.316	2	48,3x2,6


Endcap Dome - QuickFix

H




304 Indoor satin		Ø	H
0123.420.304	2	42,4x2,0	21
0123.426.304	2	42,4x2,6	21
0123.486.304	2	48,3x2,6	24

316 Outdoor satin		Ø	H
0123.420.316	2	42,4x2,0	21
0123.426.316	2	42,4x2,6	21
0123.486.316	2	48,3x2,6	24





Endcap - Arched - QuickFix **H**



304 Indoor satin				Ø
0124.337.304	2	M6		33,7x2,0
0124.420.304	2	M6		42,4x2,0
0124.426.304	2	M6		42,4x2,6
0124.480.304	2	M6		48,3x2,0
0124.486.304	2	M6		48,3x2,6

316 Outdoor satin				Ø
0124.337.316	2	M6		33,7x2,0
0124.420.316	2	M6		42,4x2,0
0124.426.316	2	M6		42,4x2,6
0124.480.316	2	M6		48,3x2,0
0124.486.316	2	M6		48,3x2,6

Endcap flat - QuickFix **H**



304 Indoor satin				Ø
0125.337.304	2	M6		33,7x2,0
0125.420.304	2	M6		42,4x2,0
0125.426.304	2	M6		42,4x2,6
0125.480.304	2	M6		48,3x2,0
0125.486.304	2	M6		48,3x2,6


316 Outdoor satin				Ø
0125.337.316	2	M6		33,7x2,0
0125.420.316	2	M6		42,4x2,0
0125.426.316	2	M6		42,4x2,6
0125.480.316	2	M6		48,3x2,0
0125.486.316	2	M6		48,3x2,6



Corresponding articles can be found on Page 57


Baluster post

S



Threaded adaptor

S W



304 Indoor satin



Ø

5501.420.304	2	42,4x2,0
5501.426.304	2	42,4x2,6
5501.486.304	2	48,3x2,6

316 Outdoor satin



Ø

5501.420.316	2	42,4x2,0
5501.426.316	2	42,4x2,6
5501.486.316	2	48,3x2,6

304 Indoor satin



Ø

0163.420.304	2	42,4x2,0
--------------	---	----------

316 Outdoor satin





Ø

0163.420.316	2	42,4x2,0
--------------	---	----------



Flange

S



Screw cap

S



304 Indoor satin



Ø

5506.426.304	2	42,4
5506.486.304	2	48,3

304 Indoor satin



5506.600.304	2	
--------------	---	--

316 Outdoor satin




5506.600.316	2	
--------------	---	--

316 Outdoor satin




Ø

5506.426.304	2	42,4
5506.486.304	2	48,3



Baluster post



S



304 Indoor satin		D	B	Ø
0164.420.304	2	105	80	42,4x2,0

316 Outdoor satin		D	B	Ø
0164.420.316	2	105	80	42,4x2,0

Flange cover




304 Indoor satin		D	Ø
0185.426.304	2	110	42,4
0185.486.304	2	120	48,3

316 Outdoor satin		D	Ø
0185.426.316	2	110	42,4
0185.486.316	2	120	48,3

316 Outdoor mirror		D	Ø
0185.426.316#	2	110	42,4
0185.486.316#	2	120	48,3

Welding flange


S W



304 Indoor satin		D	B	Ø
0182.426.304	2	105	80	42,4
0182.486.304	2	115	90	48,3

316 Outdoor satin		D	B	Ø
0182.426.316	2	105	80	42,4
0182.486.316	2	115	90	48,3


Flange rubber



		Ø
6650.100.015	1	100
6650.110.015	1	110

Baluster post

S



304 Indoor satin



D B Ø

0165.420.304	2	100	75	42,4x2,0
--------------	---	-----	----	----------

316 Outdoor satin




D B Ø

0165.420.316	2	100	75	42,4x2,0
--------------	---	-----	----	----------

Baluster post to glue

S L



304 Indoor satin



D B Ø

0188.337.304	2	100	75	33,7x2,0
0188.420.304	2	100	75	42,4x2,0
0188.480.304	2	100	75	48,3x2,0
0188.486.304	2	100	75	48,3x2,6

316 Outdoor satin



D B Ø

0188.337.316	2	100	75	33,7x2,0
0188.420.316	2	100	75	42,4x2,0
0188.480.316	2	100	75	48,3x2,0
0188.486.316	2	100	75	48,3x2,6

Welding flange

S W



304 Indoor satin



D B Ø

0180.426.304	2	100	75	42,4
0180.486.304	2	100	80	48,3
0181.426.304	2	120	90	42,4
0181.486.304	2	120	90	48,3


316 Outdoor satin



D B Ø

0180.426.316	2	100	75	42,4
0180.486.316	2	100	80	48,3
0181.426.316	2	120	90	42,4
0181.486.316	2	120	90	48,3

Flange cover



304 Indoor satin



D Ø

0186.337.304	2	105	33,7
0186.426.304	2	105	42,4
0186.486.304	2	105	48,3
0187.426.304	2	125	42,4
0187.486.304	2	125	48,3

316 Outdoor satin



D Ø

0186.337.316	2	105	33,7
0186.426.316	2	105	42,4
0186.486.316	2	105	48,3
0187.426.316	2	125	42,4
0187.486.316	2	125	48,3


316 Outdoor mirror



D Ø

0186.426.316#	2	105	42,4
0186.486.316#	2	105	48,3

Baluster clamp 45/60 RD 150 **S**




304 Indoor satin		L	Ø
0521.424.304	1	45	42,4
0521.483.304	1	45	48,3

316 Outdoor satin		L	Ø
0521.424.316	1	45	42,4
0521.483.316	1	45	48,3
0522.424.316	1	60	42,4
0522.483.316	1	60	48,3


316 Outdoor mirror		L	Ø
0521.424.316#	1	45	42,4
0521.483.316#	1	45	48,3

Baluster clamp 45 - RD 120 mm **S**




316 Outdoor satin		L	Ø
0531.424.316	1	45	42,4
0531.483.316	1	45	48,3

Baluster clamp 45 - 120mm **S**



316 Outdoor satin		L	Ø
0533.424.316	1	45	42,4
0533.483.316	1	45	48,3


Tube clamp 35 **S**



304 Indoor satin		B	L	Ø
0525.424.304	2	50	35	42,4
0525.483.304	2	50	35	48,3

316 Outdoor satin		B	L	Ø
0525.424.316	2	50	35	42,4
0525.483.316	2	50	35	48,3


Tube clamp 50 **S**



304 Indoor satin		B	L	Ø
0526.424.304	2	55	50	42,4
0526.483.304	2	55	50	48,3



316 Outdoor satin		B	L	Ø
0526.424.316	2	55	50	42,4
0526.483.316	2	55	50	48,3

Baluster clamp 45/60 - 300mm **S**



316 Outdoor satin		L	Ø
0523.424.316	1	45	42,4
0523.483.316	1	45	48,3
0524.424.316	1	60	42,4
0524.483.316	1	60	48,3


Baluster clamp adjustable 45/60 **S**



304 Indoor satin			L	Ø
0527.424.304	1		45	42,4
0527.483.304	1		45	48,3
0528.424.304	1		60	42,4
0528.483.304	1		60	48,3


316 Outdoor satin			L	Ø
0527.424.316	1		45	42,4
0527.483.316	1		45	48,3
0528.424.316	1		60	42,4
0528.483.316	1		60	48,3


Baluster clamp **S**



304 Indoor satin			Ø
0529.424.304	1		42,4
0529.483.304	1		48,3


316 Outdoor satin			Ø
0529.424.316	1		42,4
0529.483.316	1		48,3





Wall flange

S




304 Indoor satin		D	Ø	H
0183.337.304	1	85	33,7	30
0183.426.304	1	95	42,4	30
0183.486.304	1	100	48,3	35

316 Outdoor satin		D	Ø	H
0183.337.316	1	85	33,7	30
0183.426.316	1	95	42,4	30
0183.486.316	1	100	48,3	35

316 Outdoor mirror		D	Ø	H
0183.426.316#	1	95	42,4	30
0183.486.316#	1	100	48,3	35

Wall flange - connector

S L




304 Indoor satin		Ø
0184.420.304	1	42,4x2,0
0184.426.304	1	42,4x2,6
0184.483.304	1	48,3x2,6

316 Outdoor satin		Ø
0184.420.316	1	42,4x2,0
0184.426.316	1	42,4x2,6
0184.483.316	1	48,3x2,6

Wall adaptor

S




304 Indoor satin		Ø
0192.424.304	1	42,4
0192.483.304	1	48,3

316 Outdoor satin		Ø
0192.424.316	1	42,4
0192.483.316	1	48,3


Wall adaptor adjustable

S L




304 Indoor satin		D	Ø	H
0193.420.304	1	72	42,4x2,0	27
0193.426.304	1	72	42,4x2,6	27
0193.486.304	1	72	48,3x2,6	30

316 Outdoor satin		D	Ø	H
0193.420.316	1	72	42,4x2,0	27
0193.426.316	1	72	42,4x2,6	27
0193.486.316	1	72	48,3x2,6	30



Adaptor - Flat

S L




304 Indoor satin		Ø
0501.337.304	2	33,7x2,0
0501.420.304	2	42,4x2,0
0501.426.304	2	42,4x2,6
0501.480.304	2	48,3x2,0
0501.486.304	2	48,3x2,6

316 Outdoor satin		Ø
0501.337.316	2	33,7x2,0
0501.420.316	2	42,4x2,0
0501.426.316	2	42,4x2,6
0501.480.316	2	48,3x2,0
0501.486.316	2	48,3x2,6

Adaptor - Tube

S L




304 Indoor satin		D	Ø
0502.337.304	2	33,7x2,0	33,7
0503.424.304	2	42,4x2,0	42,4
0503.483.304	2	42,4x2,0	48,3
0504.424.304	2	42,4x2,6	42,4
0504.483.304	2	42,4x2,6	48,3
0505.483.304	2	48,3x2,0	48,3
0506.483.304	2	48,3x2,6	48,3

316 Outdoor satin		D	Ø
0502.337.316	2	33,7x2,0	33,7
0503.424.316	2	42,4x2,0	42,4
0503.483.316	2	42,4x2,0	48,3
0504.424.316	2	42,4x2,6	42,4
0504.483.316	2	42,4x2,6	48,3
0505.483.316	2	48,3x2,0	48,3
0506.483.316	2	48,3x2,6	48,3

316 Outdoor mirror		D	Ø
0503.424.316#	2	42,4x2,0	42,4
0506.483.316#	2	48,3x2,6	48,3


Adaptor

S




304 Indoor satin		Ø
0511.424.304	4	42,4
0511.483.304	4	48,3

316 Outdoor satin		Ø
0511.424.316	4	42,4
0511.483.316	4	48,3




Adaptor connector - Flat **S L**



304 Indoor satin		Ø
0507.000.304	2	42,4x2,0
0508.000.304	2	42,4x2,6
0509.000.304	2	48,3x2,6

316 Outdoor satin		Ø
0507.000.316	2	42,4x2,0
0508.000.316	2	42,4x2,6
0509.000.316	2	48,3x2,6


Adaptor connector - Tube **S L**



304 Indoor satin		D	Ø
0507.424.304	2	42,4x2,0	42.4
0507.483.304	2	42,4x2,0	48.3
0508.424.304	2	42,4x2,6	42.4
0508.483.304	2	42,4x2,6	48.3
0509.483.304	2	48,3x2,6	48.3

316 Outdoor satin		D	Ø
0507.424.316	2	42,4x2,0	42.4
0507.483.316	2	42,4x2,0	48.3
0508.424.316	2	42,4x2,6	42.4
0508.483.316	2	42,4x2,6	48.3
0509.483.316	2	48,3x2,6	48.3


Glass Adaptor Ø 30 - Flat **S**



304 Indoor satin		Ø
0517.000.304	4	

316 Outdoor satin		Ø
0517.000.316	4	


Glass adaptor Ø 30 - Tube **S**



304 Indoor satin		Ø
0517.426.304	4	42.4
0517.486.304	4	48.3


316 Outdoor satin		Ø
0517.426.316	4	42.4
0517.486.316	4	48.3

0517



Glass adaptor - bar

S



304 Indoor satin



Ø

0517.120.304	4	12
0517.160.304	4	16

316 Outdoor satin




Ø

0517.120.316	4	12
0517.160.316	4	16

Glass adaptor Ø 30 - Flat

S



304 Indoor satin



D

0517.030.304	4	30
0517.040.304	4	40
0517.050.304	4	50

316 Outdoor satin




D

0517.030.316	4	30
0517.040.316	4	40
0517.050.316	4	50

Glass adaptor Ø 50 - Flat

S



304 Indoor satin



0518.000.304	4
--------------	---

316 Outdoor satin



0518.000.316	4
--------------	---


316 Outdoor Mirror



0518.000.316#	4
---------------	---

Glass adaptor Ø 50 - Flat

S



304 Indoor satin



D

0518.030.304	4	30
0518.040.304	4	40
0518.050.304	4	50

316 Outdoor satin




D

0518.030.316	4	30
0518.040.316	4	40
0518.050.316	4	50

0518



Sheet adaptor Ø 25 - Flat **S**




304 Indoor
satin 

0515.000.304 4

316 Outdoor
satin 

0515.000.316 4

Sheet adaptor Ø 32 - Flat **S**




304 Indoor
satin 

0516.000.304 4

316 Outdoor
satin 

0516.000.316 4

Sheet adaptor Ø 25 - Tube **S**




304 Indoor
satin 

Product Code	Quantity	Ø
0515.426.304	4	42.4
0515.486.304	4	48.3

316 Outdoor
satin 

Product Code	Quantity	Ø
0515.426.316	4	42.4
0515.486.316	4	48.3

Sheet adaptor Ø 32 - Tube **S**




304 Indoor
satin 

Product Code	Quantity	Ø
0516.426.304	4	42.4
0516.486.304	4	48.3

316 Outdoor
satin 


Product Code	Quantity	Ø
0516.426.316	4	42.4
0516.486.316	4	48.3

0515.000 + 0516.000.xxx



Tube adaptor - Flat

S




304 Indoor satin



0585.000.304 2

Tube adaptor - Tube

S



304 Indoor satin



0585.420.304 2

Ø


42.4

0585.483.304 2

48.3

Tube connector 90°

L



304 Indoor satin



0581.180.304 2

H


30

Ø

18

Tube Rd 18 mm

L





304 Indoor satin

0589.180.304


L

3000

0581.180.304




Crossbarholder Ø 22 - Flat **S**



304 Indoor satin		Ø
0601.000.304	10	10
0602.000.304	10	12

316 Outdoor satin		Ø
0601.000.316	10	10
0602.000.316	10	12

Crossbarholder Ø 25 - Flat **S**




304 Indoor satin		Ø
0605.000.304	8	14
0606.000.304	8	16

316 Outdoor satin		Ø
0605.000.316	8	14
0606.000.316	8	16




Crossbarholder Ø 22-Tube **S**



304 Indoor satin		D	Ø
0601.424.304	8	42,4	10
0602.424.304	8	42,4	12
0602.483.304	8	48,3	12

316 Outdoor satin		D	Ø
0601.424.316	8	42,4	10
0602.424.316	8	42,4	12
0602.483.316	8	48,3	12


Crossbarholder Ø 25-Tube **S**



304 Indoor satin		D	Ø
0605.424.304	8	42,4	14
0605.483.304	8	48,3	14
0606.424.304	8	42,4	16
0606.483.304	8	48,3	16

316 Outdoor satin		D	Ø
0605.424.316	8	42,4	14
0605.483.316	8	48,3	14
0606.424.316	8	42,4	16
0606.483.316	8	48,3	16


Crossbarholder end left Ø 22 - Tube **S**



304 Indoor satin		D	Ø
0620.424.304	10	42,4	12
0620.483.304	10	48,3	12

316 Outdoor satin		D	Ø
0620.424.316	10	42,4	12
0620.483.316	10	48,3	12

Crossbarholder end right Ø 22-Tube **S**




304 Indoor satin		D	Ø
0625.424.304	10	42,4	12
0625.483.304	10	48,3	12

316 Outdoor satin		D	Ø
0625.424.316	10	42,4	12
0625.483.316	10	48,3	12




Crossbarholder Ø 22 - double **S**



304 Indoor satin		D	Ø
0630.120.304	7	10	12
0630.140.304	7	10	14
0630.160.304	7	10	16
0631.140.304	7	12	14
0631.160.304	7	12	16

316 Outdoor satin		D	Ø
0630.120.316	7	10	12
0630.140.316	7	10	14
0630.160.316	7	10	16
0631.140.316	7	12	14
0631.160.316	7	12	16

Crossbarholder Ø 25 - double **S**




304 Indoor satin		D	Ø
0635.140.304	7	14	14
0635.160.304	7	14	16
0636.160.304	7	16	16

316 Outdoor satin		D	Ø
0635.140.316	7	14	14
0635.160.316	7	14	16
0636.160.316	7	16	16




Crossbarholder connector Ø 22 - Flat **S**



304 Indoor satin		Ø
0610.000.304	10	10

316 Outdoor satin		Ø
0610.000.316	10	10


Crossbarholder connector Ø 25 - Flat **S**



304 Indoor satin		Ø
0615.000.304	8	14

316 Outdoor satin		Ø
0615.000.316	8	14


Crossbarholder connector Ø 22 - Tube **S**



304 Indoor satin		D	Ø
0610.424.304	10	42.4	10
0610.483.304	10	48.3	10
0611.424.304	10	42.4	12
0611.483.304	10	48.3	12


316 Outdoor satin		D	Ø
0610.424.316	10	42.4	10
0611.424.316	10	42.4	12
0611.483.316	10	48.3	12

Crossbarholder connector Ø 25 - Tube **S**




304 Indoor satin		D	Ø
0615.424.304	8	42.4	14
0615.483.304	8	48.3	14

316 Outdoor satin		D	Ø
0615.424.316	8	42.4	14
0615.483.316	8	48.3	14



Bar holder Ø 22 - Flat

S



304 Indoor
satin



Ø

0640.000.304

10

12

316 Outdoor
satin



Ø


0640.000.316

10

12

Bar holder Ø 22 - Tube

S



304 Indoor
satin



D

Ø

0640.483.304

10

48.3

12

316 Outdoor
satin



D

Ø

0640.483.316


10

48.3

12

Bar holder Ø 22 - Flat

S



304 Indoor
satin



Ø

0650.000.304

10

12

316 Outdoor
satin



Ø


0650.000.316

10

12

Bar holder Ø 22 - Tube

S



304 Indoor
satin



D

Ø

0650.424.304

10

42.4

12

0650.483.304

10

48.3

12

316 Outdoor
satin



D

Ø

0650.424.316

10

42.4

12

0650.483.316

10

48.3


12

0650



Bar holder adjustable Ø 22 - Flat

S



304 Indoor satin



Ø

0646.000.304

8

12

316 Outdoor satin



Ø


0646.000.316

8

12

Bar holder adjustable Ø 22 - tube

S



304 Indoor satin



D

Ø

0646.424.304

8

42.4

12

0646.483.304

8

48.3

12

316 Outdoor satin



D

Ø

0646.424.316

8

42.4

12

0646.483.316

8


48.3

12



Bar holder □ 22 - Flat

S



304 Indoor satin



□

4650.000.304

4

12

316 Outdoor satin




□

4650.000.316


4

12





Slotted tube




304 Indoor satin		H	B	Ø	L
2004975	6	24	24	42,4	6000
2004980	6	30	27	48,3	6000
2004989	6	34	34	60,3	6000

316 Outdoor satin		H	B	Ø	L
2004976	6	24	24	42,4	6000
2004981	6	30	27	48,3	6000
2004990	6	34	34	60,3	6000

316 Outdoor mirror		H	B	Ø	L
2043237	6	24	24	42,4	6000
2043238	6	30	27	48,3	6000

End Cap

L




304 Indoor satin		Ø
1112.426.304	2	42,4x1,5
1112.486.304	2	48,3x1,5
1112.600.304	2	60,3x1,5

316 Outdoor satin		Ø
1112.426.316	2	42,4x1,5
1112.486.316	2	48,3x1,5
1112.600.316	2	60,3x1,5

316 Outdoor mirror		Ø
1112.426.316#	2	42,4x1,5
1112.486.316#	2	48,3x1,5

Wall flange

L S




304 Indoor satin		D	Ø	H
1183.426.304	1	95	42,4	30
1183.486.304	1	100	48,3	35
1183.603.304	1	107	60,3	35

316 Outdoor satin		D	Ø	H
1183.426.316	1	95	42,4	30
1183.486.316	1	100	48,3	35
1183.603.316	1	107	60,3	35

Adaptor


L S



304 Indoor satin		D	Ø
1502.424.304	2	42,4x1,5	42,4
1502.483.304	2	42,4x1,5	48,3
1503.483.304	2	48,3x1,5	48,3

316 Outdoor satin		D	Ø
1502.424.316	2	42,4x1,5	42,4
1502.483.316	2	42,4x1,5	48,3
1503.483.316	2	48,3x1,5	48,3

Tube connector



304 Indoor satin



Ø

1201.425.304	2	42,4x1,5
1201.485.304	2	48,3x1,5
1201.605.304	2	60,3x1,5

316 Outdoor satin



Ø

1201.425.316	2	42,4x1,5
1201.485.316	2	48,3x1,5
1201.605.316	2	60,3x1,5


316 Outdoor mirror



Ø

1201.425.316#	2	42,4x1,5
1201.485.316#	2	48,3x1,5

Tube connector horizontal 90°



304 Indoor satin



Ø

H

1202.425.304	2	42,4x1,5	30
1202.485.304	2	48,3x1,5	35
1202.605.304	2	60,3x1,5	40

316 Outdoor satin



Ø

H

1202.425.316	2	42,4x1,5	30
1202.485.316	2	48,3x1,5	35
1202.605.316	2	60,3x1,5	40

316 Outdoor mirror




Ø

H

1202.425.316#	2	42,4x1,5	30
1202.485.316#	2	48,3x1,5	35

Tube connector vertical 90°



304 Indoor satin



Ø

H

1203.425.304	2	42,4x1,5	30
1203.485.304	2	48,3x1,5	35




316 Outdoor satin



Ø

H

1203.425.316	2	42,4x1,5	30
1203.485.316	2	48,3x1,5	35



Tube connector adjustable **L**



304 Indoor satin			D
1224.426.304	2		42,4x1,5
1224.485.304	2		48,3x1,5
1224.603.304	2		60,3x1,5

316 Outdoor satin			D
1224.426.316	2		42,4x1,5
1224.485.316	2		48,3x1,5
1224.603.316	2		60,3x1,5



Tube connector adjustable **L**



304 Indoor satin			D
1225.426.304	2		42,4x1,5
1225.485.304	2		48,3x1,5
1225.603.304	2		60,3x1,5

316 Outdoor satin			D
1225.426.316	2		42,4x1,5
1225.485.316	2		48,3x1,5
1225.603.316	2		60,3x1,5


Oval slotted tube



304 Indoor satin		H	B	D	L
2070442	6	26	33	80x40x1,5	6000
2073101	6	26	33	110x40x1,5	6000

316 Outdoor satin		H	B	D	L
2073100	6	26	33	80x40x1,5	6000
2073102	6	26	33	110x40x1,5	6000


End Cap oval **L**



304 Indoor satin			D
1112.804.304	2		80x40x1,5
1112.110.304	2		110x40x1,5

316 Outdoor satin			D
1112.804.316	2		80x40x1,5
1112.110.316	2		110x40x1,5

Square slotted tube




304 Indoor satin		H	B	D	L
2081484	6	24	24	40x40x1,5	6000
2073103	6	24	24	60x40x1,5	6000

316 Outdoor satin		H	B	D	L
2081485	6	24	24	40x40x1,5	6000
2073104	6	24	24	60x40x1,5	6000

Wall flange square

L S




304 Indoor satin		D	H	W
4183.404.304	2	95x95	28 mm	40x40x1,5
4183.640.304	2	100x80	28 mm	60x40x1,5

316 Outdoor satin		D	H	W
4183.404.316	2	95x95	28 mm	40x40x1,5
4183.640.316	2	100x80	28 mm	60x40x1,5

Tube connector square

L




304 Indoor satin		W
4201.404.304	2	40x40x1,5
4201.640.304	2	60x40x1,5

316 Outdoor satin		W
4201.404.316	2	40x40x1,5
4201.640.316	2	60x40x1,5

End Cap square

L




304 Indoor satin		W
4112.404.304	2	40x40x1,5
4112.640.304	2	60x40x1,5

316 Outdoor satin		W
4112.404.316	2	40x40x1,5
4112.640.316	2	60x40x1,5

Tube connector 90° horizontal

L




304 Indoor satin		W	H
4202.404.304	2	40x40x1,5	50
4202.640.304	2	60x40x1,5	70

316 Outdoor satin		W	H
4202.404.316	2	40x40x1,5	50
4202.640.316	2	60x40x1,5	70

Tube connector 90° vertical

L




304 Indoor satin		W	H
4203.404.304	2	40x40x1,5	30
4203.640.304	2	60x40x1,5	30

316 Outdoor satin		W	H
4203.404.316	2	40x40x1,5	30
4203.640.316	2	60x40x1,5	30



End Cap

L



304 Indoor satin



W


4110.420.304

2

40x40x2,0

Tube connector

L



304 Indoor satin



W


4201.420.304

2

40x40x2,0

Tube connector 90°

L



304 Indoor satin



W

H


4203.420.304

2

40x40x2,0 30

Tube connector T-90°

L



304 Indoor satin



W

H


4204.420.304

2

40x40x2,0 30

Tube connector T

L



304 Indoor satin



W

H


4206.420.304

2

40x40x2,0 60

Tube connector adjustable

L



304 Indoor satin



W

H


4221.420.304

2

40x40x2,0 60

Handrail bracket - Flat

S



304 Indoor satin




4321.000.304

2

Handrail bracket - tube

S



304 Indoor satin



Ø

4321.424.304

2


42,4

4321.483.304

2

48,3

Handrail bracket - Flat **S**




304 Indoor satin



4325.000.304 2

Handrail bracket - Tube **S**



304 Indoor satin




4325.420.304 2
4325.480.304 2

Ø

42,4
48,3

Handrail Support - Flat **L S**



304 Indoor satin




4342.000.304 2

W H

40x40x2,0 81

Handrail Support - Tube **L S**



304 Indoor satin




4342.420.304 2
4342.480.304 2

W Ø H

40x40x2,0 42,4 79
40x40x2,0 48,3 79

Handrail Support adjustable - Flat **L S**



304 Indoor satin




4442.000.304 2

W H

40x40x2,0 81

Handrail Support adjustable - Tube **L S**



304 Indoor satin




4442.420.304 2
4442.480.304 2

W Ø H

40x40x2,0 42,4 79
40x40x2,0 48,3 79

Handrail Support flat - 90° **L S**



304 Indoor satin



4342.009.304 2

W H

40x40x2,0 81

Handrail Support tube - 90° **L S**



304 Indoor satin



4342.429.304 2

W Ø H

40x40x2,0 42,4 79

Wall flange

S



304 Indoor satin




D W H

4183.420.304 2 95x95 40x40x2,0 28

Wall flange - connector

L S



304 Indoor satin




D W H

4184.420.304 2 95x95 40x40x2,0 6

Adaptor - Flat

L S



304 Indoor satin




W

4501.420.304 2 40x40x2,0

Adaptor - Tube

L S



304 Indoor satin




Ø W

4503.420.304 2 42,4 40x40x2,0
4503.483.304 2 48,3 40x40x2,0

Baluster clamp

S



304 Indoor satin




W

4521.404.304 1 40x40

Tube clamp 40x40

S



304 Indoor satin



W

4525.404.304 1 40x40

Baluster clamp adjustable

S



304 Indoor satin





W H

4527.404.304 1 40x40 79

Bar holder - square

S



304 Indoor satin



W

4650.000.304

4

12

316 Outdoor satin



W

4650.000.316


4

12

corresponding bars can be found on page 66

Baluster post

S



304 Indoor satin



W

L


4164.420.304

2

40x40x2,0 100

welding flange

S W



304 Indoor satin




W

4180.420.304

2

40x40x2,0

Flange cover



304 Indoor satin




W


4187.420.304

2

40x40x2,0



End Cap



304 Indoor satin



H

Ø


0242.420.304

2

25

42.4

End scroll



304 Indoor satin



H

Ø


0243.420.304

2

65

42.4

Tube connector



304 Indoor satin



H

Ø


0244.420.304

2

50

42.4

Tube connector adjustable



304 Indoor satin



H

Ø


0245.420.304

2

49

42.4

Tube connector 90°



304 Indoor satin



H

Ø


0246.420.304

2

65

42.4

Tube connector 90°



304 Indoor satin



H

Ø


0247.420.304

2

65

42.4

Tube connector 135°



304 Indoor satin



H

Ø


0248.420.304

2

65

42.4

End Cap 45°



304 Indoor satin



H

Ø


0250.420.304

2


65

42.4


Handrail support - Tube **L**



304 Indoor satin		H	Ø	D
0251.420.304	2	79	42.4	42,4x2,0
0251.426.304	2	79	42.4	42,4x2,6
0251.486.304	2	79	42.4	48,3x2,6



Wood to stainless Adaptor **L**



304 Indoor satin		D	Ø
0252.420.304	2	42,4x2,0	42.4


Center tool



304 Indoor satin	
0249.420.011	1



Adaptor **L S**



304 Indoor satin	
0249.420.012	1



Railing saddle - Flat

S



304 Indoor satin



3301.000.304 4

316 Outdoor satin



3301.000.316 4

Railing saddle - Flat - 90°

S



304 Indoor satin



3340.000.304 2


316 Outdoor satin



3340.000.316 2

Railing saddle - Tube

S



304 Indoor satin



3301.337.304	4	Ø
3301.337.304	4	33,7
3301.424.304	4	42,4
3301.483.304	4	48,3


316 Outdoor satin



3301.337.316	4	Ø
3301.337.316	4	33,7
3301.424.316	4	42,4
3301.483.316	4	48,3

Railing saddle - Tube - 90°

S



304 Indoor satin



3340.337.304	2	Ø
3340.337.304	2	33,7
3340.424.304	2	42,4
3340.483.304	2	48,3

316 Outdoor satin



3340.337.316	2	Ø
3340.337.316	2	33,7
3340.424.316	2	42,4
3340.483.316	2	48,3

Handrail support M8 - M6

S



304 Indoor satin



3303.068.304	2	M6	M8
3303.068.304	2	M6	M8
3303.125.304	2	M6	125

316 Outdoor satin



3303.068.316	2	M6	M8
--------------	---	----	----

Handrail support M8

S



304 Indoor satin




5303.068.304	2	M6	H
5303.068.304	2	M6	68
5303.125.304	2	M6	125

316 Outdoor satin



5303.068.316	2	M6	H
5303.068.316	2	M6	68
5303.125.316	2	M6	125


End Cap Arched - QuickFix **H**



304 Indoor satin				Ø
0124.337.304	2	M6		33,7x2,0
0124.420.304	2	M6		42,4x2,0
0124.426.304	2	M6		42,4x2,6
0124.480.304	2	M6		48,3x2,0
0124.486.304	2	M6		48,3x2,6

316 Outdoor satin				Ø
0124.337.316	2	M6		33,7x2,0
0124.420.316	2	M6		42,4x2,0
0124.426.316	2	M6		42,4x2,6
0124.480.316	2	M6		48,3x2,0
0124.486.316	2	M6		48,3x2,6

End Cap Flat - QuickFix **H**



304 Indoor satin				Ø
0125.337.304	2	M6		33,7x2,0
0125.420.304	2	M6		42,4x2,0
0125.426.304	2	M6		42,4x2,6
0125.480.304	2	M6		48,3x2,0
0125.486.304	2	M6		48,3x2,6

316 Outdoor satin				Ø
0125.337.316	2	M6		33,7x2,0
0125.420.316	2	M6		42,4x2,0
0125.426.316	2	M6		42,4x2,6
0125.480.316	2	M6		48,3x2,0
0125.486.316	2	M6		48,3x2,6






Cable



316 Outdoor		Ø
1830-0400-025	25	4mm
1830-0400-050	50	4mm
1830-0400-100	100	4mm
1830-0500-025	25	5mm
1830-0500-050	50	5mm
1830-0500-100	100	5mm
1830-0600-025	25	6mm
1830-0600-050	50	6mm
1830-0600-100	100	6mm

Light clamp ring



316 Outdoor		a	B	D1
1863-0400	1	4mm	10	15
1863-0500	1	5mm	10	24
1863-0600	1	6mm	10	24

Screwed External thread Ends RH



316 Outdoor		Ø	A	B	C
1826-0400-060	1	4mm	M6	115	60
1826-0500-060	1	5mm	M8	117	60
1826-0600-060	1	6mm	M8	117	60

Screwed External thread Ends LH



316 Outdoor		Ø	A	B	C
1827-0400-060	1	4mm	M6	115	60
1827-0500-060	1	5mm	M8	117	60
1827-0600-060	1	6mm	M8	117	60

Screwed internal thread Ends RH




316 Outdoor		Ø	A	B	C	D
1831-0400	1	4mm	M6	55	18	13
1831-0500	1	5mm	M8	57	20	15
1831-0600	1	6mm	M8	57	20	15

Screwed Internal thread Ends LH




316 Outdoor		Ø	A	B	C	D
1832-0400	1	4mm	M6	55	18	13
1832-0500	1	5mm	M8	57	20	15
1832-0600	1	6mm	M8	57	20	15

End stop internal thread RH




316 Outdoor		A	b1	b2	C	Ød1	Ød2
1869-0600-02	1	M6	35	30	20	8	14
1869-0800-02	1	M8	40	34	25	10	16

Turnbuckle barrel LH/RH




316 Outdoor		A	B	Ød
1875-0600	1	M6	92	10
1875-0800	1	M8	112	13,5

Fork with external thread RH




316 Outdoor		A	B	C	Ød	E	F	G
1871-0600	1	M6	73	47	5	6	12	7,5
1871-0800	1	M8	86	57	6	7	13	10

Fork with external thread LH




316 Outdoor		A	B	C	Ød	E	F	G
1872-0600	1	M6	73	47	5	6	12	7,5
1872-0800	1	M8	86	57	6	7	13	10

Eye With External thread RH




316 Outdoor		A	B	C	Ød	E	F
1885-0600	1	M6	16	47	6,5	7	61
1885-0800	1	M8	21	57	8,5	8,5	78

Eye With External thread LH




316 Outdoor		A	B	C	Ød	E	F
1886-0600	1	M6	16	47	6,5	7	61
1886-0800	1	M8	21	57	8,5	8,5	78

Hexagon nut RH thread




316 Outdoor		A	SW	K
1892-0600	1	M6	10	5
1892-0800	1	M8	13	6,5

Hexagon nut LH thread




316 Outdoor		A	SW	K
1893-0600	1	M6	10	5
1893-0800	1	M8	13	6,5

Dome nut RH




316 Outdoor		A	SW	C	H
1894-0600	1	M6	10	6	12
1894-0800	1	M8	13	8,5	15

Flat washer




316 Outdoor		Ød1	Ød2	K
1896-0600	1	M6	11	1,6
1896-0800	1	M8	15	1,6

Ball end RH thread




316 Outdoor satin		A	B	C	Ød1
1898-0600-01	1	M6	18,8	10	20
1898-0800-01	1	M8	22,4	12	24

Eye internal thread RH




316 Outdoor satin		A	B	C	Ød	E	F
1906-0600	1	M6	78	40	6	8	19
1906-0800	1	M8	78	40	6	8	19

Eye internal thread LH




316 Outdoor satin		A	B	C	Ød	E	F
1907-0600	1	M6	78	40	6	8	19
1907-0800	1	M8	78	40	6	8	19

Fork external thread RH




316 Outdoor satin		A	B	C	Ød	E	F
1945-0600	1	M6	77	35	6	7,5	14
1945-0800	1	M8	77	35	6	7,5	14

Fork external thread LH




316 Outdoor satin		A	B	C	Ød	E	F
1946-0600	1	M6	77	35	6	7,5	14
1946-0800	1	M8	77	35	6	7,5	14

Cable holder 22mm, flat




316 Outdoor satin		D
0704.000.316	8	4mm
0705.000.316	8	5mm
0706.000.316	8	6mm

Cable holder 22mm, tube




316 Outdoor satin		D	Ø
0704.424.316	8	4mm	42,4
0704.483.316	8	4mm	48,3
0705.424.316	8	5mm	42,4
0705.483.316	8	5mm	48,3
0706.424.316	8	6mm	42,4
0706.483.316	8	6mm	48,3

Cable holder 22mm, flat - end left




316 Outdoor satin	
0720.000.316	8

Cable holder 22mm, flat - end right




316 Outdoor satin	
0725.000.316	8

Cable holder 22mm, tube - end left




316 Outdoor satin		Ø
0720.424.316	8	42,4
0720.483.316	8	48,3

Cable holder 22mm, tube - end right




316 Outdoor satin		Ø
0725.424.316	8	42,4
0725.483.316	8	48,3

End stop internal thread



316 Outdoor		A	b1	b2	C	Ød1	Ød2
I869-0600-02	1	M6	35	30	20	8	14
I869-0800-02	1	M8	40	34	25	10	16


Railing tube round



304 Indoor satin		T	Ø
2004968	6 mtr	1	16
2043241	6 mtr	2	33,7
2004973	6 mtr	2	42,4
2004978	6 mtr	2,6	42,4
2004984	6 mtr	2,6	48,3

316 Outdoor satin		T	Ø
2004969	6 mtr	1	16
2043236	6 mtr	2	33,7
2004974	6 mtr	2	42,4
2004979	6 mtr	2,6	42,4
2004985	6 mtr	2,6	48,3


Round slotted tube



304 Indoor satin		H	Ø	D
2004975	6 mtr	24	24	42,4
2004980	6 mtr	30	27	48,3
2004989	6 mtr	34	34	60,3

316 Outdoor satin		H	Ø	D
2004976	6 mtr	24	24	42,4
2004981	6 mtr	30	27	48,3
2004990	6 mtr	34	34	60,3


Tube square / rectangular



304 Indoor satin		W	T
2074354	6 mtr	40x40	2

Diverse afmetingen op aanvraag


Oval slotted tube



304 Indoor satin		H	H2	B	D
2070442	6 mtr	26	40	33	80
2073101	6 mtr	26	40	33	110

316 Outdoor satin		H	H2	B	D
2073100	6 mtr	26	40	33	80
2073102	6 mtr	26	40	33	110


Square slotted tube



304 Indoor satin		H	B	D
2073103	6 mtr	24	24	60
2081484	6 mtr	24	24	40

316 Outdoor satin		H	B	D
2073104	6 mtr	24	24	60
2081485	6 mtr	24	24	40


Round bar



304 Indoor satin		Ø
2007451	3 mtr	10
2007452	3 mtr	12
2007559	3 mtr	14
2073633	6 mtr	10
2070414	6 mtr	12


316 Outdoor satin		Ø
2007557	3 mtr	10
2007558	3 mtr	12
2007559	3 mtr	14

Square bar



304 Indoor satin		□
2007280	3 mtr	12






reddot award 2015
winner



SB-LED Profile




316 Indoor satin



Ø

7642.105.316 6 42,4

SB-LED Profile square




316 Indoor satin



W

7644.105.316 6 40x40
7664.105.316 6 60x40

Handrail bracket SB-LED **S**




316 Indoor satin



Ø

7642.200.316 1 42,4

Handrail bracket Power Supply **S**




316 Indoor satin



Ø

7642.210.316 1 42,4

Handrail bracket tube **S**




316 Indoor satin



Ø

7642.230.316 1 42,4

Glass handrail bracket SB-LED **S**



316 Indoor satin



Ø

7642.240.316 1 42,4

Handrail support SB-LED **L**




316 Indoor satin



Ø

7642.300.316 1 42,4

End Cap SB-LED **L**




316 Indoor satin



Ø

7642.400.316 1 42,4

Synthetic cover transparent



7642.910.424 1,5

Synthetic cover matt



7642.920.424 1,5

connector SB-LED to tube



7642.950.424 1

Connectorset - IP40



7642.800.000 1



Power supply 60W - 24V DC



7625.010.060 1 24V DC 60 W

Power supply 100W - 24V DC



7625.020.100 1 24V DC 100 W

Power supply 100W - 24V DC - IP65



7625.030.100 1 24V DC 100W IP65

Power supply 240W - 24V DC













7625.040.240 1 24V DC 240 W

Ledstrip Deco



7611.601.300	6	Warm White 3000K
7611.604.001	6	Red
7611.605.002	6	Green
7611.605.003	6	Blue
7611.605.004	6	Amber
7611.607.650	6	Cold White 6500K
7611.608.400	6	Natural White 4000K

LiniLED DECO

article nr		description	power	light output	LEDs per section	LEDs p/m	Section length	max. conn. length	Voltage
7611.856.240*		liniLED® Top Ultra Warm Wit 2400K D [m]	1,1 W/m	96 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.859.270*		liniLED® Top Extra Warm Wit 2700K D [m]	1,1 W/m	104 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.601.300		liniLED® Top Warm White 3000K D [m]	1,1 W/m	111 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.608.400		liniLED® Top natural White 4000K D [m]	1,1 W/m	113 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.607.650		liniLED® Top Cold White 6500K D [m]	1,1 W/m	113 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
*		liniLED® Top RGB D [m]	6,0 W/m	139 lm/m	7 LEDs	35 LEDs	20 cm	10 m	
7611.604.001		liniLED® Top Red D [m]	4,4 W/m	55 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.605.002		liniLED® Top Green D [m]	2,5 W/m	106 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.605.003		liniLED® Top Blue D [m]	1,7 W/m	23 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC
7611.605.004		liniLED® Top Amber D [m]	4,4 W/m	47 lm/m	7 LEDs	35 LEDs	20 cm	20 m	24V DC







* Op aanvraag


Ledstrip Power




7611.598.270	6	Warm White 2700K
7611.599.400	6	Natural White 4000K
7611.600.300	6	Warm White 3000K
7611.609.650	6	Cold White 6500K
7611.860.001	6	Red
7611.861.003	6	Blue
7611.862.002	6	Green
7611.863.004	6	Amber

LiniLED POWER

article nr		description	power	light output	LEDs per section	LEDs p/m	Section length	max. conn. length	Voltage
7611.857.240*		liniLED® Top Ultra Warm Wit 2400K P [m]	4,5 W/m	417 lm/m	7 LEDs	35 LEDs	20 cm	10 m	24V DC
7611.598.270		liniLED® Top Extra Warm Wit 2700K P [m]	4,6 W/m	417 lm/m	7 LEDs	35 LEDs	20 cm	10 m	24V DC
7611.600.300		liniLED® Top Warm White 3000K P [m]	4,3 W/m	417 lm/m	7 LEDs	35 LEDs	20 cm	10 m	24V DC
7611.599.400		liniLED® Top Natural White 4000K P [m]	4,1 W/m	417 lm/m	7 LEDs	35 LEDs	20 cm	10 m	24V DC
7611.609.650		liniLED® Top cold White 6500K P [m]	4,1 W/m	417 lm/m	7 LEDs	35 LEDs	20 cm	10 m	24V DC
7611.860.001		liniLED® Top Red P [m]	8,3 W/m	102 lm/m	5 LEDs	50 LEDs	10 cm	10 m	24V DC
7611.862.002		liniLED® Top Green P [m]	4,9 W/m	153 lm/m	5 LEDs	50 LEDs	10 cm	10 m	24V DC
7611.861.003		liniLED® Top Blue P [m]	7,2 W/m	68 lm/m	5 LEDs	50 LEDs	10 cm	10 m	24V DC
7611.863.004		liniLED® Top Amber P [m]	8,3 W/m	94 lm/m	5 LEDs	50 LEDs	10 cm	10 m	24V DC



SB-LED Profile



316 Outdoor satin



Ø

7648.105.316 6 48,3

End Cap SB-LED

L



316 Outdoor satin



Ø

7648.400.316 1 48,3

Handrail bracket SB-LED

S



316 Outdoor satin



Ø

7648.200.316 1 48,3

Handrail bracket Power supply

S



316 Outdoor satin



Ø

7648.210.316 1 48,3

Handrail bracket tube

S



316 Outdoor satin



Ø

7648.230.316 1 48,3

Handrail bracket Glass

S



316 Outdoor satin



Ø

7648.240.316 1 48,3

Handrail support SB-LED

L



316 Outdoor satin



Ø

7648.300.316 1 48,3

Connectorset - IP65




7648.810.000 1

Connector endset - IP65



7648.815.000 1

Synthetic cover transparent




7648.910.483 1,5

Synthetic cover matt



7648.920.483 1,5

Connector SB-LED to tube



7648.950.483 1

LED Demo Case



7699.103.000 1



LED Roller



7699.101.000 1

LED strip scissors




7699.102.000 1

Top end cap



7611.503.000 1



SB-Cleaner



6740.01 1

Before delivering the project and during maintenance we advise you to use SB-Cleaner 6740.01

SB-Super Cleaner



6740.02 1

If you encounter corrosion or defects caused by aggressive influences, use SB-supercleaner 6740.02

SB-Glue 50g



6740.03 1

SB-Glue 6740.03 is the ideal adhesive for cylindrical joints. Just a small quantity is sufficient to achieve solid bonding, as long as it is applied properly

SB-activator spray



6740.04 1

SB-activator spray ensures a faster curing time, which promotes better hardening

SB-Cleaner spray



6740.05 1

SB-Cleaner spray can be used to clean and degrease parts. This product should always be used before bonding parts together

SB-Screw retention 50g




6740.06 1

SB-Screw retention is the ideal adhesive for locking bolts and socket-head screws. After cleaning parts with SB SB-Cleaner 6740.05, apply a drop of this glue on the thread of the screw.




Glass clip model 00 - Flat **S**



304 Indoor satin		
00.A2.000.01	4	
316 Outdoor satin		
00.A4.000.01	4	
Zamac Stainless look		
00.ZN.000.01	4	

Glass clip model 00 - Tube **S**



304 Indoor satin			Ø
00.A2.033.01	4		33,7
00.A2.042.01	4		42,4
316 Outdoor satin			Ø
00.A4.033.01	4		33,7
00.A4.042.01	4		42,4
Zamac Stainless look			Ø
00.ZN.042.01	4		42,4

Glass clip model 00 - Flat **S**



Zamac Crude		
00.ZN.000.00	4	

Glass clip model 00 - Tube **S**




Zamac Crude			Ø
00.ZN.042.00	4		42,4

Rubbers model 00




Rubbers Model 00			Glass
6760.00.0600	8		6 mm
6760.00.0676	8		6,76 mm (3-0,76-3)
6760.00.0800	8		8 mm

Glass clip model 01 - Flat **S**



304 Indoor satin	
01.A2.000.01	4
316 Outdoor satin	
01.A4.000.01	4
Zamac Stainless look	
01.ZN.000.01	4

Glass clip model 01 - Tube **S**



304 Indoor satin		Ø
01.A2.042.01	4	42,4
316 Outdoor satin		Ø
01.A4.042.01	4	33,7
316 Outdoor Mirror		Ø
01.A4.042.01#	4	42,4
Zamac Stainless look		Ø
01.ZN.042.01	4	42,4

Glass clip model 01 - Flat **S**



Zamac Crude	
01.ZN.000.00	4

Glass clip model 01 - Tube **S**




Zamac Crude		Ø
01.ZN.042.00	4	42,4

Rubbers model 01



Rubbers Model 01		Glass
6760.01.0600	8	6 mm
6760.01.0676	8	6,76 mm (3-0,76-3)
6760.01.0800	8	8 mm
6760.01.0876	8	8,76 mm (4-0,76-4)
6760.01.0952	8	9,52 mm (4-1,52-4)
6760.01.1000	8	10 mm

Glass clip model 04 - Flat **S**



304 Indoor
satin



04.A2.000.01 4

316 Outdoor
satin




04.A4.000.01 4

Zamac
Stainless look



04.ZN.000.01 4

Glass clip model 04 - Tube **S**



304 Indoor
satin



04.A2.048.01 4 48,3

316 Outdoor
satin



03.A4.048.01 4 48,3

Zamac
Stainless look



04.ZN.048.01 4 48,3

Glass clip model 04 - Flat **S**



Zamac
Crude



04.ZN.000.00 4

Glass clip model 04 - Tube **S**



Zamac
Crude



04.ZN.048.00 4 48,3

Rubbers model 04




Rubbers Model 04		Glass
6760.04.0952	8	9,52 mm (4-1,52-4)
6760.04.1000	8	10 mm
6760.04.1152	8	11,52 mm (5-1,52-5)
6760.04.1200	8	12 mm
6760.04.1276	8	12,76 mm (6-0,76-6)
6760.04.1352	8	13,52 mm (6-1,52-6)
6760.04.1500	8	15 mm
6760.04.1676	8	16,76 mm (8-0,76-8)
6760.04.1752	8	17,52 mm (8-1,52-8)

standard in packing model 04



Glass clip model 05 - Flat **S**



304 Indoor
satin



05.A2.000.01 4

316 Outdoor
satin




05.A4.000.01 4

Zamac
Stainless look



05.ZN.000.01 4

Glass clip model 05 - Tube **S**



304 Indoor
satin



Code	Quantity	Ø
05.A2.042.01	4	42,4
05.A2.048.01	4	48,3

316 Outdoor
satin



Code	Quantity	Ø
05.A4.042.01	4	42,4
05.A4.048.01	4	48,3

Zamac
Stainless look



Code	Quantity	Ø
05.ZN.042.01	4	42,4
05.ZN.048.01	4	48,3

Glass clip model 05 - Flat **S**



Zamac
Crude



05.ZN.000.00 4

Glass clip model 05 - Tube **S**



Zamac
Crude



Code	Quantity	Ø
05.ZN.042.00	4	42,4
05.ZN.048.00	4	48,3

Rubbers model 05



Rubbers
Model 05







Code	Quantity	Glass
6760.05.1076	8	5-0,76-5 mm
6760.05.1152	8	5-1,52-5 mm
6760.05.1200	8	12 mm
6760.05.1276	8	6-0,76-6 mm

standard in packing model 05



Glass clip model 06 - Flat **S**



304 Indoor satin 	
06.A2.000.01	4
316 Outdoor satin 	
06.A4.000.01	4
Zamac Stainless look 	
06.ZN.000.01	4

Glass clip model 06 - Flat **S**




Zamac Crude 	
06.ZN.000.00	4

standard in packing model 06








Rubbers model 06



Rubbers Model 06 	Glass
6760.06.0800	8 8 mm
6760.06.0876	8 8,76 mm (4.0,76-4)
6760.06.0952	8 9,52 mm (4-1,52-4)
6760.06.1000	8 10 mm

Glass clip model 06 - Tube **S**




304 Indoor satin 		Ø
06.A2.042.01	4	42,4
06.A2.048.01	4	48,3
316 Outdoor satin 		Ø
06.A4.042.01	4	42,4
06.A4.048.01	4	48,3
316 Outdoor Mirror 		Ø
06.A4.042.01#	4	42,4
06.A4.048.01#	4	48,3
Zamac Stainless look 		Ø
06.ZN.042.01	4	42,4
06.ZN.048.01	4	48,3


Glass clip model 06 - Tube **S**






Zamac Crude 		Ø
06.ZN.042.00	4	42,4
06.ZN.048.00	4	48,3


Rubbers Model 06 	Glass
6760.06.1076	8 10,76 mm (5-0,76-5)
6760.06.1152	8 11,52 mm (5-1,52-5)
6760.06.1200	8 12 mm
6760.06.1276	8 12,76 mm (6-0,76-6)




Glass clip model 07 - Flat **S**



304 Indoor satin		
07.A2.000.01	4	
316 Outdoor satin		
07.A4.000.01	4	
Zamac Stainless look		
07.ZN.000.01	4	

Glass clip model 07 - Tube **S**



304 Indoor satin			Ø
07.A2.254.01	4		25,4
07.A2.337.01	4		33,7
316 Outdoor satin			Ø
07.A4.254.01	4		25,4
07.A4.337.01	4		33,7
Zamac Stainless look			Ø
07.ZN.254.01	4		25,4
07.ZN.337.01	4		33,7

Glass clip model 07 - Flat **S**



Zamac Crude		
07.ZN.000.00	4	


Glass clip model 07 - Tube **S**




Zamac Crude			Ø
07.ZN.254.00	4		25,4
07.ZN.337.00	4		33,7

Rubbers model 07




Rubbers Model 07			Glass
6760.07.0600	8		6 mm
6760.07.0676	8		6176 mm (3-0,76-3)
6760.07.0800	8		8 mm
6760.07.0876	8		8,76 mm (4-0,76-4)

Glass clip model 08 - Flat **S**




316 Outdoor satin	
08.A4.000.01	4

Glass clip model 08 - Tube **S**




316 Outdoor satin		Ø
08.A4.042.01	4	42,4
08.A4.048.01	4	48,3

Glass clip model 09 - Flat **S**



316 Outdoor satin	
09.A4.000.01	4

Glass clip model 09 - Tube **S**




316 Outdoor satin		Ø
09.A4.042.01	4	42,4
09.A4.048.01	4	48,3

Rubbers model 08/09



Rubbers Model 08/09		Glass
6760.09.0800	8	8 mm
6760.09.0876	8	8,76 mm (4-0,76-4)
6760.09.0952	8	9,52 mm (4-1,52-4)
6760.09.1000	8	10 mm
6760.09.1076	8	10,76 mm (5-0,76-5)
6760.09.1152	8	11,52 mm (5-1,52-5)
6760.09.1200	8	12 mm
6760.09.1276	8	12,76 mm (6-0,76-6)

Glass clip model 10 - 090 **S**



304 Indoor
satin




10.A2.090.01 2

316 Outdoor
satin



10.A4.090.01 2

Glass clip model 10 - 180 **S**



304 Indoor
satin



10.A2.180.01 2

316 Outdoor
satin



10.A4.180.01 2

Rubbers model 10



Rubbers Model 10		Glass
6760.10.0600	8	6 mm
6760.10.0800	8	8 mm
6760.10.0876	8	8,76 mm (4-0,76-4)
6760.10.0952	8	9,52 mm (4-1,52-4)
6760.10.1000	8	10 mm

content of the packing of glass clips





UNIQ

SMART BALUSTRADES



SMART CLAMPING



The patented clamping strip holds the glass securely in place. The lack of wedges means no stress in the glass, with the tension distributed evenly across the entire pane.

ADJUSTABLE



The profiles are secured via adjustable nuts, meaning that the profiles are always level and the glass is always straight no matter, how uneven the surface.

QUICK ASSEMBLY



Assembling a balustrade has never been so quick and easy: secure the profile, put the glass in place, lower the clamping strip and tighten the screws. That's it!

SAFE



The meticulously designed shape and function of the profile guarantees the glass will never come loose. It's the ultimate in safety.

LIGHT AND STRONG




The sophisticated hollow design makes the profiles significantly lighter and stronger. It's the best choice both structurally and financially.

ELEGANT FINISHING



The lack of rubbers ensures a stylish look. Various covers are available for finishing the floor and front side: simply click them into place.

www.uniq-balustrades.com





KENSINGTON TRADERS LTD
UNITS 23-25 RIBOCON WAY PROGRESS
PARK LEAGRAVE, LUTON BEDFORDSHIRE
LU4 9UR
UNITED KINGDOM
T +44 1582 563 794
F +44 1582 491 925
SALES@KENSINGTONFORGE.CO.UK
WWW.BALUSTRADO-SYSTEMS.COM



BRITISH STAINLESS
STEEL ASSOCIATION

